



Inspection Report

Lovelace Biomedical Research Institute
2425 Ridgecrest Dr SE
Albuquerque, NM 87108

Customer ID: **1072**
Certificate: **85-R-0003**
Site: 001
Lovelace Biomedical Research
Institute

Type: ROUTINE INSPECTION
Date: 11-JUN-2024

3.3(a) Repeat

Sheltered housing facilities.

On June 7, 2024 20 female and 34 male, adult beagle dogs were housed in sheltered housing "Kennel D," where the automated environmental monitoring system measured and recorded temperatures in the indoor area within the range of 29.6 degrees Celsius and 30.4 degrees Celsius between the hours of 1:44pm and 10:15pm (~8.5h). Dogs that are hot may experience discomfort, lethargy or distress. Dogs with medical problems or under study may be especially vulnerable to the effects of hot temperatures. The licensee must provide additional / alternate cooling mechanisms or make adjustments that adequately provide for animal comfort and well-being and ensure ambient temperatures inside do not exceed 29.5 degrees Celsius for more than four consecutive hours when dogs are present.

This inspection and exit interview were conducted with the attending veterinarian, IACUC Chair and facility representatives.

Prepared By: TAMILA STOTT
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
14-JUN-2024

Received by Title: Facility Representative

Date:
14-JUN-2024



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1072	85-R-0003	001	Lovelace Biomedical Research Institute	11-JUN-2024

Count	Scientific Name	Common Name
000046	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000369	<i>Macaca fascicularis</i>	CRAB-EATING MACAQUE / CYNOMOLGUS MONKEY
000086	<i>Chlorocebus aethiops</i>	AFRICAN GREEN MONKEY / GRIVET
000362	<i>Canis familiaris</i>	DOG ADULT
000078	<i>Sigmodon hispidus</i>	HISPID COTTON RAT
000941	Total	